

CS1110 Introduction to Systematic Programming

2nd Practical Class in Week 7 -- More on Visualizing File I/O

In this practical we will be taking a closer look at input from files using the procedures `Get` from `CS_Int_IO`, `CS_Flt_IO` and `Ada.Text_IO` and the procedure `Skip_Line` from `Ada.Text_IO` using the `io_view` program considered in an earlier lab.

At any stage input is taken from the **current input position** in the file. The current input position is indicated by a **file pointer**. When an file is first opened for input, the current input position is set at the start of the file and as input proceeds the file pointer advances through the file so that each character is only input once. With the facilities provided in the library packages `CS_Int_IO`, `CS_Flt_IO` and `Ada.Text_IO`, it is not possible to move the position of the file pointer back towards the start of the file (without closing the file and then re-opening it).

An Ada program `io_view`¹ **simulates** the operation of the input procedures, showing visually how the file pointer advances through the file as input proceeds.

The input file is displayed at the top of the screen in one-dimensional format with end-of-line markers displayed as the pilcrow symbol ¶ and the end-of-file marker displayed as the section sign §. The current position of the file pointer is indicated by a caret symbol ^.

Input commands are entered from a menu by single key-presses:

I	Get	(Integer)
F	Get	(Float)
C	Get	(Character)
K	Skip_Line	

The requested I/O operation is simulated and the value that would have been input is displayed. The file pointer caret then moves to its new position in the file. If an invalid input operation is attempted and an Ada run-time exception would have been raised by the input operation, this is indicated by the `io_view` program. However an exception does not cause `io_view` simulation to crash whereas a real Ada program would terminate in these circumstances.

For convenience there is also an `io_view` command for undoing the previous input command and backing up the file pointer to its previous position. This is invoked with the single key stroke:

U	Undo
---	------

This is useful if an I/O operation performed by mistake (in an `io_view` simulation unlike a real Ada program we can recover from our mistakes!). In fact any number of input operations can be ‘undone’ by repeatedly pressing the U key.

The input file position can be reset to the start of the file with single key stroke:

R	Reset
---	-------

and the quit command has the expected effect:

Q	Quit
---	------

Exercise This exercise will look at

- Get for character input
- Skip_Line for discarding the rest of the current input line

and the predicate functions `End_of_Line` and `End_of_File` for testing whether the current input position is at the end of a line or at the end of the file. It may help to refer to Unit 14 as you work through this exercise (copy available on-line on the module Web site..

¹ Originally written by Dale Stanborough from University of Perth, Western Australia and adapted for use at Aston by Alan Barnes.

1. Copy the file

```
/usr/local/staffstore/cs1110/io_view
```

to your user area.

2. Then copy the file `/usr/local/staffstore/cs1110/test1.dat` to your own user area and display the file in normal "two-dimensional" form in a terminal window using a utility such as `cat`, `less` or `more`.

2. Open another terminal window and resize it so that it is a reasonable size (around half the screen size²) and then start `io_view` (remember to `cd` to the directory in which `io_view` resides)

```
io_view test1.dat
```

and now arrange the two terminal windows so that the contents of both are visible.

`io_view` displays a one-dimensional representation of the file `test1.dat` at the top of the screen with end-of-line markers displayed as the pilcrow symbol ¶ and end-of-file displayed as the section sign §.

3. Note how empty lines (such as line 3) in the normal two-dimensional display of the file appear as consecutive ¶ symbols in the one-dimensional display, whereas blank lines (lines containing only blank characters such as line 5) appear as two ¶ symbols separated by blanks. Blank and empty lines, of course, look the same on the normal 2-D display.

4. Simulate the effect of `Get` for `Character` input in the `io_view` by pressing the `c` key several times and note how the current input position (displayed as the caret symbol ^) advances through the file one character at a time and note how blanks are treated as "full value" characters by this version of `Get`.

On the other hand, `Get` for `Integer` input (`I` key) or `Float` input (`F` key) skip over blanks and input complete numbers and so (usually) "consume" more than one character.

Recall that in an `io_view` simulation (unlike an Ada program), you can undo the effect of the last input operation by pressing the `u` key (`Undo`) and can return to the start of the file by pressing the `r` key (`Reset`).

5. Note how when the file pointer reaches the end of a line (that is reaches a ¶ symbol) that `End_of_Line` becomes `True` whereas at other positions on the line, `End_of_Line` is `False`.

6. Note that when the current input position is at the end of a line, `Get` for `Character`, `Integer` or `Float` all skip to the start of the next line and input the next data value from there.

Any empty lines will be skipped over by any `Get` operation and furthermore `Get` for `Integer` or `Float` will also skip over any blank lines (whereas `Get` for `Character` inputs the blanks one by one).

7. Simulate the effect of `skip_Line` by pressing the `k` key and note how the input position moves to the start of the next line (that is the input position advances to just past the next end of line marker ¶).

8. Advance the input position using `skip_Line` so that it is positioned at the start of the last line in the file (that the line which contains `51 One Two`). Now press the `I` key twice (`Get` for `Integer`) and note that a `Data_Error` is raised as `One` is not a valid `Integer`. However as one would expect using `Get` for `Character` (`c` key) can handle this data.

9. Advance the input position using `Get` for `Character` so that it is positioned before the last end-of-line marker in the file. Note how `End_of_Line` is `True` and `End_of_File` is `True`. A further `Get` operation at this point will cause the `End_Error` exception to be raised.

10. Quit `io_view` by pressing the `q` key.

² If the window is too small, `io_view`'s screen update does not work correctly.

Badly-formed Input Files

As indicated at the end of unit 14 trailing blanks at the end of a line and trailing empty or blank lines at the end of a file are "bad news" and can cause problems for data processing as they make it difficult to detect the `End_Of_Line` or `End_Of_File` in loops.

Generally data files should not contain any trailing blanks nor trailing empty or blank lines to avoid such problems. The following exercise illustrates some of these problems

Copy the file `/usr/local/staffstore/cs1110/test2.dat` to your own user area and display the file in normal "two-dimensional" form in a terminal window and in "one-dimensional" form in `io_view`. This is essentially the same file as `test1.dat`, but some lines (lines 1 and 2) containing trailing blank characters (that is blanks after the last number on the line) and the file ends with several blank and empty lines. Note how the "two-dimensional" display of the file appears visually the same as the first file. However the file appears differently in the "one-dimensional" format.

1. Advance the input position to just after the last number on line 1 and note how `End_of_Line` is `False` (as there are blanks remaining on the line after the input position). A `Get` for `Integer` or `Float` will skip to the next line and input the next number from there. Thus a loop of the form:

```
WHILE NOT End_Of_Line LOOP
    Get(Number);
    Process this Number
END LOOP;
```

will not behave correctly in the presence of trailing blanks on a line as it advances past the end of the current line. There is no problem for character input and a loop such as

```
WHILE NOT End_Of_Line LOOP
    Get(Char);
    Process this Char
END LOOP;
```

will behave correctly in the presence of trailing blanks on a line as blanks are "full value" characters.

2. Advance the input position so that it is positioned at the end of the line (which contains `One Two`) and note how `End_of_File` is `False` as there are some empty lines after this line.

A `Get` for `Character`, `Integer` or `Float` will cause an `End_Error` to be raised as the empty lines will be skipped as `Get` "looks for" the next (non-existent) data value in the file. Thus a loop of the form:

```
WHILE NOT End_Of_File LOOP
    Get(Data);
    Process this Data
END LOOP;
```

will not behave correctly in the presence of trailing empty lines in the file.